ArchivistaDMS 2018/XII with many views

Egg, December 14, 2018: In a discussion more than 10 years ago, a customer asked whether it would not be possible to change the active mask (fields and standard query) in the RichClient during operation. With the RichClient at that time, the effort would indeed have been high, and so the feature was added to the list for the WebClient without being implemented afterwards. In a current accounts payable management project this question came up again, and this time the functionality was realized within two days.



Flexible forms for different roles

For more than a decade, ArchivistaDMS has been able to create various forms to assign them to specific users. An example: Employees in purchasing do not need the fields that make sense in production or sales.

Until now, users changed their profile (with a new login) to work with a different role or form. This is no longer necessary, the desired form can be changed directly in the WebClient. The corresponding forms can also be flexibly assigned to certain users.

Step 1: Set up in WebAdmin

Since version 2018/XII the new form 'Masks for users' is available in WebAdmin:

User Templates Administration	Masks for user	rs @ archivista
> Masks for users	New	Name
> Fields and masks	>Edit >Delete	english
Archive administration	>Edit >Delete	mails
> Scanning	>Edit >Delete	deutsch all
> Barcodes	>Edit >Delete	besr
> OCR definitions		
> SQL definitions		

At the first call there are no entries, with 'New' the first profile can be opened:

User Templates Administration Masks for users Fields and masks Archive administration Scanning Barcodes Form recognition OCR definitions SQL definitions	Masks for users @ archi Name of the definition Desired field mask User (separate multiple users with commas) Selection definition Help	vista besr BESR Admin,user2 besr Back Save

In addition to the name of the definition, the following entries must be entered. First the desired mask definition, these are the fields that are displayed. Secondly, it is important to determine which users can access the masks, whereby all users can select the mask if no entries exist. Thirdly, the start definition is selected, i.e. this determines which documents are to be displayed as default after switching to the form.

Step 2: Call the forms

As soon as forms are entered in WebAdmin, they are displayed in the WebClient. The corresponding field can be found at the bottom of the status bar:

	User	
	mails	
	besr —	
Database: archivista, Recordset: 1/12601, Document: 21603, Page: 1/1, Form:	User -	

After logging in to the WebClient, the user is automatically in the 'Standard' form. This is the definition that is assigned directly in the user profile:

Ine	Pages	Date	Archive	Address		Addressfir	BESR D6	ac. type	Download
	1	12/13/2018	No				100101000000041905380453293+ 010		PDF IMG PIC
	1	12/13/2018	No				100101000000041905380453293+ 010		PDF IMG PIC
	1	12/13/2018	No	Petermann		2	100101000000041905380453293+ 010		PDF IMG PIC
	1	12/13/2018	No	Meiner		1			PDF IMG PIC
	1	12/13/2018	No				100101000000041905380453293+ 010		POF ING PIC
11	Search	Edit							
D	ocumen	e	Pages	Folder	Dale /	Archived		S HOR	Territor mass
	Fulltex	t						C perpendiant in the second	Tarabage managem
	Owne	r						RR 72. American	
	Address	5						terranted Real	Bellings with any
A	ddressN	r							Auro 1 8470371
BESR					And a second sec				
					And the second state of th				
Dec. Op							Andre Scienting & LTod Martin	815	
	Not	•						Technopherg sales to 1.0.070	1010
									1.1.1.1
								Company of the local data	
		Type of qu	игу ∞ №	lew selection	Extend Via	rrow			
		Joker a	Joker at the begin of textileids Joker at the end Delete values Search					ter sale	
									Transferration and the second
								2 DECEMBER OF STREET,	THE
								Concept Andrew Market	In straight party
								8.02	

For example, in order to only receive all vendor invoices that can be processed automatically, the 'besr' form can be activated in our example.

ett Pages Date Archiv BESR	Download
1 12/13/2018 No 10010100000041905380453283+ 010412652>	POF IMG PIG
1 12/13/2018 No 10010100000041905380453293+ 010412852>	POF IMG PIC
1 12/13/2018 No 10010100000041905330453293+ 010412652<	PDF IMG PIC
1 12/13/2018 No 10010100000041905300453293+ 010412652>	POF IMG PIC
1 12/13/2018 No 10010100000041905380453290+ 010412852>	PSF IMG PSC
Search Edit	
Decumant 21603 Panas 1 Editor 251 Date 12/13/2018 Archived In	
Constantine 21000 Pages 1 Politi 201 Date 1012/2010 Patientee 10	a state to the second second second
Owner	4 years
BESR 1001010000041905380453203+010412852>	RR /II. Amartmit
Note	Normal State
	Aug. 1 April 57
	Non- Contraction Contraction
	Sector State
iosenbergstrasse 16 T +4171228 52 52 mlo@asga.ch pGDSiOnskaSSG Postfach, 9001 St.Gallen F +4171228	August Structures # 1 (61 (69)(1) (77)
6683-0	Terrative States Terrative States Sta
DI SI Galler	
6TP A-PRIORITY A-Physical characteristics	Independent Sector in the sector interest intere
sta. GmbH Stegstrasse 14 8132 Eop b. Zürich	The state of the s
4. Quartal 2018	TANK BERLEY MARTINE
E tsichring, konsejvaspa, ch. + 41, 71, 228, 52, 97 (http://doi.org/10.1016/j.ch. 44, 171, 228, 52, 97) (http://doi.org/10.1016/j.ch. 44, 71, 72, 72, 72, 73)	Name and Annual Annua
Archivita at colles, to te, acto	LEADER AND A LEADER AND A LEADER
a-Mr. 38045329	are at
ng Total Betriáge gemáss Belage	THE CONSTRAINT OF A DESCRIPTION OF A DESCRIPANTE A DESCRIPANTE A DESCRIPANTE A DESCRIPTION OF A DESCRIPTIONO
A CANADA CAN A CANADA	and the second se
s archivista Parceckat: 1/27 Decement: 21853 Page: 10. Form: base of	

The switching works automatically. If 'Edit' is activated, a query is made so that fields that have not yet been saved are not carelessly discarded.